

# HUEY TUNG INTERNATIONAL CO., LTD

No.69, Lane 762, Dingzhong Road, Sanmin District, Kaohsiung, Taiwan R.O.C.

## CAR SPEAKER : TWEETERS



**HT-2017**  
**Size (mm):** 37  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Piezo



**HT-4006**  
**Size (mm):** 40  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Neo



**HT-2018**  
**Size (mm):** 85  
**V.C. (mm):** 23  
**Max. Power (W):** 30  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 88 ± 2  
**Magnet:** Piezo



**HT-4007**  
**Size (mm):** 40  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-4001**  
**Size (mm):** 50  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-4017**  
**Size (mm):** 48  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-4003**  
**Size (mm):** 40  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Neo / Ferrite



**HT-4018**  
**Size (mm):** 48  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-4004**  
**Size (mm):** 40  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Neo / Ferrite



**HT-4040**  
**Size (mm):** 45L + 40W  
**V.C. (mm):** 20  
**Max. Power (W):** 30  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Neo



**HT-4005**  
**Size (mm):** 40  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Neo / Ferrite



**HT-4041**  
**Size (mm):** 40  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Neo

TEL: 886-7-310-5786

FAX: 886-7-310-0783

E-mail: [carawang@hueytung.com.tw](mailto:carawang@hueytung.com.tw)

**CAR SPEAKER : TWEETERS**



**HT-4042**  
**Size (mm):** 40  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Neo / Ferrite



**HT-4053**  
**Size (mm):** 58 + 48  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Neo



**HT-4046**  
**Size (mm):** 40  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Neo



**HT-4054**  
**Size (mm):** 43  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-4047**  
**Size (mm):** 40  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Neo



**HT-4055**  
**Size (mm):** 36  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Neo



**HT-4049**  
**Size (mm):** 47L + 40W  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Neo



**HT-4056**  
**Size (mm):** 51  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-4050**  
**Size (mm):** 40  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Neo



**HT-5014**  
**Size (mm):** 36  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Neo



**HT-4051**  
**Size (mm):** 40  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Neo / Ferrite



**HT-5020**  
**Size (mm):** 41  
**V.C. (mm):** 20  
**Max. Power (W):** 30  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Neo

TEL: 886-7-310-5786

FAX: 886-7-310-0783

E-mail: carawang@hueytung.com.tw

**CAR SPEAKER : TWEETERS**



**HT-5021**  
**Size (mm):** 54  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Neo



**HT-5028 / 5029**  
**Size (mm):** 49  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Neo



**HT-5022**  
**Size (mm):** 54  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Neo



**HT-5031**  
**Size (mm):** 45  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Neo



**HT-5023 / 5024**  
**Size (mm):** 39 / 54L + 47  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Neo



**HT-5032**  
**Size (mm):** 45  
**V.C. (mm):** 20  
**Max. Power (W):** 30  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Neo



**HT-5025**  
**Size (mm):** 44  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 80 ± 2  
**Magnet:** Neo



**HT-5033**  
**Size (mm):** 45  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Neo



**HT-5026**  
**Size (mm):** 40  
**V.C. (mm):** 20  
**Max. Power (W):** 30  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Neo



**HT-5034**  
**Size (mm):** 46  
**V.C. (mm):** 20  
**Max. Power (W):** 30  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Neo



**HT-5027**  
**Size (mm):** 54  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Neo



**HT-5035**  
**Size (mm):** 36  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Neo

TEL: 886-7-310-5786

FAX: 886-7-310-0783

E-mail: carawang@hueytung.com.tw

**CAR SPEAKER : TWEETERS**



**HT-5036**  
**Size (mm):** 40 / 40 / 36  
**V.C. (mm):** 20  
**Max. Power (W):** 30  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Neo



**HT-5054**  
**Size (mm):** 46  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Neo



**HT-5039**  
**Size (mm):** 42L + 33W  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Neo



**HT-5056**  
**Size (mm):** 42 / 45  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Neo



**HT-5050**  
**Size (mm):** 54  
**V.C. (mm):** 20  
**Max. Power (W):** 30  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Neo



**HT-5057**  
**Size (mm):** 42 / 45  
**V.C. (mm):** 20  
**Max. Power (W):** 30  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Neo



**HT-5051**  
**Size (mm):** 50  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Neo



**HT-5058**  
**Size (mm):** 44  
**V.C. (mm):** 20  
**Max. Power (W):** 30  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Neo



**HT-5052**  
**Size (mm):** 53  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 88 ± 2  
**Magnet:** Neo



**HT-5060**  
**Size (mm):** 50  
**V.C. (mm):** 20  
**Max. Power (W):** 30  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Neo



**HT-5053**  
**Size (mm):** 46 / 48  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Neo



**HT-5061**  
**Size (mm):** 50  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 88 ± 2  
**Magnet:** Neo

TEL: 886-7-310-5786

FAX: 886-7-310-0783

E-mail: carawang@hueytung.com.tw




**CAR SPEAKER : TWEETER**

**CAR SPEAKER : PIEZO TWEETER**



**HT-5062**  
**Size (mm):** 40  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite




**HT-1341A**  
**Size (mm):** 79L + 45W  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 1.5K-18K  
**SPL (dB):** 89 ± 2  
**Magnet:** Neo



**HT-5064**  
**Size (mm):** 46  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-1341B**  
**Size (mm):** 45  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Neo



**HT-5065**  
**Size (mm):** 83L + 73W  
**V.C. (mm):** 28  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 88 ± 2  
**Magnet:** Neo



**HT-5070**  
**Size:** 2"  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 300-20K  
**SPL (dB):** 86 ± 2  
**Magnet:** Neo



**HT-5080**  
**Size (mm):** 33  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-8008**  
**Size:** 2 1/2" + 1"  
**V.C. (mm):** 13  
**Max. Power (W):** 30  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 88 ± 2  
**Magnet:** Ferrite



**HT-EP24**  
**Size (mm):** 24  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Neo



**HT-8215**  
**Size (mm):** 57L + 47W  
**V.C. (mm):** 16  
**Max. Power (W):** 20  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 88 ± 2  
**Magnet:** Neo



**HT-EP51**  
**Size (mm):** 48  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Neo



**HT-8216**  
**Size (mm):** 72L + 50W  
**V.C. (mm):** 16  
**Max. Power (W):** 20  
**Freq. (Hz):** 1.5K-15K  
**SPL (dB):** 88 ± 2  
**Magnet:** Neo + Piezo

TEL: 886-7-310-5786

FAX: 886-7-310-0783

E-mail: carawang@hueytung.com.tw

**CAR SPEAKER ; PIEZO TWEETER**



**HT-8231**  
**Size (mm):** 74L + 49W  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 1.5K-15K  
**SPL (dB):** 88 ± 2  
**Magnet:** Ferrite + Piezo



**HT-C01**  
**Two - Way**  
**Tweeter gain control (0dB/-3dB)**  
**Tweeter frequency control (3KHz / 6Hz)**  
**12dB / Octave**  
**Gold terminals**



**HT-8241**  
**Size (mm):** 78L + 53W  
**V.C. (mm):** 20  
**Max. Power (W):** 30  
**Freq. (Hz):** 1.5K-15K  
**SPL (dB):** 88 ± 2  
**Magnet:** Neo + Piezo



**HT-C02**  
**Two - Way**  
**Tweeter gain control (0dB/-3dB)**  
**Tweeter frequency control (3KHz / 6Hz)**  
**12dB / Octave**  
**Gold terminals**



**HT-8247**  
**Size (mm):** 53L + 46W  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-C20**  
**Size (mm):** 89L + 60W  
**V.C. (mm):** 20  
**Max. Power (W):** 30  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 88 ± 2  
**Magnet:** Neo + Piezo



**HT-5X7**  
**Size:** 4" + 1"  
**V.C. (mm):** 25 + 20  
**Max. Power (W):** 150  
**Freq. (Hz):** 300-20K  
**SPL (dB):** 86 ± 2  
**Magnet:** Neo + Ferrite

TEL: 886-7-310-5786

FAX: 886-7-310-0783

E-mail: carawang@hueytung.com.tw

# HUEY TUNG INTERNATIONAL CO., LTD

No.69, Lane 762, Dingzhong Road, Sanmin District, Kaohsiung, Taiwan R.O.C.

## CAR SPEAKER : DOME TWEETER



**HT-1335**  
**Size (mm):** 48  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-5037**  
**Size (mm):** 35  
**V.C. (mm):** 20  
**Max. Power (W):** 30  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Neo



**HT-3009A(AL)**  
**Size (mm):** 98 × P83  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 91 ± 2  
**Magnet:** Ferrite



**HT-5038**  
**Size (mm):** 50 × 70L  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Neo



**HT-3010**  
**Size (mm):** 87  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-5040**  
**Size (mm):** 39 / 42  
**V.C. (mm):** 13 / 20  
**Max. Power (W):** 20 / 30  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Neo



**HT-3075**  
**Size (mm):** 88 × p77  
**V.C. (mm):** 25  
**Max. Power (W):** 40  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite



**HT-5041**  
**Size:** 18+4 × 8H



**HT-4019**  
**Size (mm):** 47 × 48L × 36w  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-5042**  
**Size:** 60L × 15W × p27



**HT-5030**  
**Size (mm):** 54  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Neo



**HT-6001**  
**Size (mm):** 95 × P85  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2.5K-20K  
**SPL (dB):** 89 ± 2  
**Magnet:** Ferrite

TEL: 886-7-310-5786

FAX: 886-7-310-0783

E-mail: carawang@hueytung.com.tw

**CAR SPEAKER : DOME TWEETER**



**HT-8010**  
**Size:** 2 1/2" + 1"  
**V.C. (mm):** 13  
**Max. Power (W):** 30  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-36R**  
**Size (mm):** 31  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Neo



**HT-25R**  
**Size (mm):** 25  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Neo



**HT-40RA**  
**Size (mm):** 40  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-28RA**  
**Size (mm):** 28  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Neo



**HT-40RB**  
**Size (mm):** 39  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Neo



**HT-28RB**  
**Size (mm):** 28  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Neo



**HT-48RA**  
**Size (mm):** 48  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-33RA**  
**Size (mm):** 33 × 41L  
**V.C. (mm):** 16  
**Max. Power (W):** 25  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Neo



**HT-48RB**  
**Size (mm):** 48  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



**HT-33RB**  
**Size (mm):** 45L × 33W  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Neo



**HT-48RC**  
**Size (mm):** 67L + 47W  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite

TEL: 886-7-310-5786

FAX: 886-7-310-0783

E-mail: carawang@hueytung.com.tw



**CAR SPEAKER : DOME TWEETER**



HT-48RD

HT-48RD  
**Size (mm):** 64L + 47W  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



HT-48RE

HT-48RE  
**Size (mm):** 70L + 47W  
**V.C. (mm):** 13  
**Max. Power (W):** 20  
**Freq. (Hz):** 2K-20K  
**SPL (dB):** 90 ± 2  
**Magnet:** Ferrite



HT-4X10

HT-4X10  
**Size (mm):** 63 × 55w × 32  
**V.C. (mm):** 25  
**Max. Power (W):** 50  
**Freq. (Hz):** 1.5K-20K  
**SPL (dB):** 91 ± 2  
**Magnet:** Ferrite